





Linear fluorescent fixture rated for wet locations and ABS certified
Marine grade components for superior corrosion resistance
Vibration-resistant, spring-loaded lamp holders for demanding applications
Available in two and four foot lengths

Dimensions

2 foot



4 foot



Specifications

Construction	Corrosion-resistant, impact-resistant, UV-stabilized nylon housing Thermoset high reflectance, white polyester powder coated reflector
Hardware	Stainless steel external hardware
Lamp holders	Vibration-resistant, spring-loaded lamp holders
Lens	High-impact polycarbonate matte finish diffuser
Light source	17W or 32W fluorescent lamps Lamps not included
Power source	120-277V, 50/60Hz (UNIV) Low temperature ballast - standard
Wiring	3/4 inch NPT threaded conduit openings on both ends Threaded plug and cable gland provided Through wiring - standard (max two at 32W) Terminal block - standard
EMB	120/277V, 60Hz
Mounting	Stainless steel mounting feet
Weight	2 foot (packaged) - 8.7 lb (3.9 kg) 4 foot (packaged) - 13.4 lb (6.1 kg)
Warranty	1 year

Contact factory for IES files

Compliances

UL/cUL Listed to:

- UL 1598 Suitable for Wet Locations
- UL 1598A Marine Inside Type Dripproof
- UL 1598A Marine Outside Type (Saltwater)
- UL 924 Emergency Lighting Equipment

ABS

IP65 rated



LFSB Series

Marine Rated Snaplight

Ordering Information

Example: LFSB-2-17-UNIV

Fixture	Lamps	Wattage/Type	Voltage	Options
LFSB	2	17 32	UNIV	EMB

Lamps	Wattage/Type	Voltage	Options
2 2 lamps	17 F17 T-8 (medium bi-pin, 2 foot) 32 F32 T-8 (medium bi-pin, 4 foot)	UNIV 120-277V; 50/60Hz	EMB Emergency battery backup

Special Projects: We may be able to accommodate your special projects, so please don't hesitate to ask about additional options. Minimum order quantities and/or extended lead times will apply. Contact your Phoenix representative with specific inquiries.

Product design and specifications are subject to change without notice. The most current version of this specification sheet can be found on our website: www.phoenixlighting.com.