



Standards & Certifications Cross Reference

The Standards & Certifications Cross Reference is designed to help identify fixtures with specific certifications. The listings that are checked in the Cross Reference represent the highest level available for a particular fixture. For more information on any fixture, please refer to the applicable specification sheet.



Standards & Certifications Cross Reference

| Hazardous Location Services (UL 844) | | | | | | | | | | | | | ≥40° C Ambient | ABS | DesignLights® Consortium (DLC) |
|--------------------------------------|-------|-----------------|-------|-------|-------|------------------|-------|-------|------------------|-------|-----------|---|----------------|-----|--------------------------------|
| Class I, Div. 1 | | Class I, Div. 2 | | | | Class II, Div. 1 | | | Class II, Div. 2 | | Class III | | | | |
| Grp C | Grp D | Grp A | Grp B | Grp C | Grp D | Grp E | Grp F | Grp G | Grp F | Grp G | | | | | |
| Linear Lights | | | | | | | | | | | | | | | |
| Ascend LHB Series | | | | | | | | | | | | | ✓ | | ✓ |
| Conquer Linear™ Series | | | ✓ | ✓ | ✓ | ✓ | | | | ✓ | ✓ | ✓ | ✓ | | |
| HDL-LED Series | | | ✓ | ✓ | ✓ | ✓ | | | | | | | ✓ | ✓ | |
| LEDLT | | | | | | | | | | | | | ✓ | ✓ | |
| LFXB LED Series | ✓ | ✓ | | | | | ✓ | ✓ | ✓ | | | | ✓ | | |
| ReadiLED™ Series | | | | | | | | | | | | | ✓ | ✓ | |
| Berth Lights | | | | | | | | | | | | | | | |
| LEDBM | | | | | | | | | | | | | | | |
| Navigation Light | | | | | | | | | | | | | | | |
| Sturdsignal™ Series | | | | | | | | | | | | | ✓ | ✓ | |
| Area Lights | | | | | | | | | | | | | | | |
| Cube-Light | | | | | | | | | | | | | ✓ | ✓ | |
| Cube-Light Wall Mount | | | | | | | | | | | | | ✓ | | |
| CVO 2 | | | | | | | | | | | | | ✓ | P | P |
| Danger Light™ | | | | | | | | | | | | | ✓ | | |
| Wayfinder™ 2 | | | | | | | | | | | | | ✓ | ✓ | ✓ |
| Floodlights | | | | | | | | | | | | | | | |
| Command Flood® Series | | | | | | | | | | | | | ✓ | ✓ | |
| Conquer Flood® Series | | | ✓ | ✓ | ✓ | ✓ | | | | ✓ | ✓ | | ✓ | | |
| Defend Flood™ Series | ✓ | ✓ | | | | | | | | | | | ✓ | | |
| EcoMod® 3 Series | | | | | | | | | | | | | ✓ | ✓ | ✓ |
| ModCom® 3 Series | | | ✓ | ✓ | ✓ | ✓ | | | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| SLX LED | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | |
| SLXP LED | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | |
| SturdiLED® | | | | | | | | | | | | | ✓ | ✓ | |
| Sturdilite® Grind | | | | | | | | | | | | | ✓ | ✓ | |
| Work Lights | | | | | | | | | | | | | | | |
| Sturdilite® Master Series | | | | | | | | | | | | | ✓ | | |
| Sturdilite® Move Series | | | | | | | | | | | | | ✓ | | |
| Large Area Light | | | | | | | | | | | | | | | |
| Highland® Series | | | | | | | | | | | | | ✓ | | ✓ |
| Soar™ Series | | | | | | | | | | | | | ✓ | | ✓ |
| Vaporproof Lights | | | | | | | | | | | | | | | |
| Brass LED VP Series | | | ✓ | ✓ | ✓ | ✓ | | | | ✓ | ✓ | | ✓ | ✓ | |
| Metallic LED VP Series | | | ✓ | ✓ | ✓ | ✓ | | | | ✓ | ✓ | | ✓ | ✓ | |
| Metallic LED VP Retrofit | | | | | | | | | | | | | ✓ | ✓ | |
| Dock Lights | | | | | | | | | | | | | | | |
| DLA 2 LED <i>docklite</i> ™ | | | | | | | | | | | | | ✓ | | |
| FlexPro <i>docklite</i> ™ | | | | | | | | | | | | | ✓ | | |
| Modular <i>docklite</i> ™ | | | | | | | | | | | | | | | |
| DLAW 2 LED <i>docklite</i> ™ | | | | | | | | | | | | | ✓ | | |
| DLX LED <i>docklite</i> ™ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | |

✓ = At least one model in the fixture series meets the indicated standard. See specification sheet for details. P = The certification or listing is currently pending for this product.

Standards & Certifications Cross Reference

| CE | | | | | | | | | | |
|------------------------------|------------------|--------------------------|--------------------|---------------|-----------|------------|-------------|-------------------|--------------|--------------|
| | UL 1598A | | UL 1598 | | UL 924 | CSA or cUL | NEMA Rating | IP Rating | IK Rating | IPA Dark Sky |
| | Marine | | Ordinary Locations | | Emergency | | | | | |
| | Inside Dripproof | Outside Type (Saltwater) | Wet Location | Damp Location | | | | | | |
| Linear Lights | | | | | | | | | | |
| Ascend LHB Series | | | | ✓ | | ✓ | | IP22 | IK06 | |
| Conquer Linear™ Series | | | ✓ | | | ✓ | ✓ | IP67 | | |
| HDL-LED Series | ✓ | ✓ | ✓ | | | ✓ | | IP67 | | |
| LEDLT | | ✓ | ✓ | | | ✓ | | IP66 | | |
| LFXB LED Series | | ✓ | ✓ | | ✓ | ✓ | | | | |
| ReadiLED™ Series | ✓ | ✓ | ✓ | | ✓ | ✓ | | IP65 & IP67 | | |
| Berth Lights | | | | | | | | | | |
| LEDBM | | ✓ | | ✓ | | ✓ | | | | |
| Navigation Light | | | | | | | | | | |
| Sturdsignal™ Series | | | | | | | | IP68 | | |
| Area Lights | | | | | | | | | | |
| Cube-Light | ✓ | ✓ | ✓ | | | ✓ | | IP66 | | |
| Cube-Light Wall Mount | ✓ | ✓ | ✓ | | | ✓ | | IP66 | | |
| CVO 2 | ✓ | ✓ | ✓ | | | ✓ | 4X | IP66 | | P |
| Danger Light™ | ✓ | ✓ | ✓ | | | ✓ | | | | |
| Wayfinder™ 2 | ✓ | ✓ | ✓ | | ✓ | ✓ | | IP66 | | |
| Floodlights | | | | | | | | | | |
| Command Flood® Series | | ✓ | ✓ | | | ✓ | | IP66 | | |
| Conquer Flood® Series | | | ✓ | | | | 6 | IP67 | | |
| Defend Flood™ Series | | | ✓ | | | ✓ | | IP66 | | |
| EcoMod® 3 Series | ✓ | ✓ | ✓ | | | ✓ | | IP66, IP67, IP69K | IK06 & IK10 | |
| ModCom® 3 Series | ✓ | ✓ | ✓ | | | ✓ | | IP66, IP67, IP69K | IK06 & IK10 | |
| SLX LED | | ✓ | ✓ | | | ✓ | 4X | | | |
| SLXP LED | | ✓ | ✓ | | | ✓ | 4X | | | |
| SturdiLED® | ✓ | ✓ | ✓ | | | ✓ | | IP67 | | |
| Sturdilite® Grind | | ✓ | ✓ | | | ✓ | | | IK10 | |
| Work Lights | | | | | | | | | | |
| Sturdilite® Master Series | ✓ | | | | | | | IP68 IP69K | IK06 IK10 | |
| Sturdilite® Move Series | ✓ | | | | | | | IP69K | | |
| Large Area Light | | | | | | | | | | |
| Highland® Series | | | ✓ | | | ✓ | | IP66 | | ✓ |
| Soar™ Series | ✓ | | ✓ | | | ✓ | | IP66 | | |
| Vaporproof Lights | | | | | | | | | | |
| Brass LED VP Series | | ✓ | ✓ | | | ✓ | | IP66 | | |
| Metallic LED VP Series | | ✓ | ✓ | | | ✓ | | IP66 | | |
| Metallic LED VP Retrofit | | ✓ | ✓ | | | | | IP66 | | |
| Dock Lights | | | | | | | | | | |
| DLA 2 LED <i>docklite</i> ™ | | | ✓ | | | ✓ | | | IK10 | |
| FlexPro <i>docklite</i> ™ | ✓ | | | ✓ | | ✓ | | | IK08 | |
| Modular <i>docklite</i> ™ | | | | | | ✓ | | | | |
| DLAW 2 LED <i>docklite</i> ™ | | | ✓ | | | ✓ | | | IK10 | |
| DLX LED <i>docklite</i> ™ | | ✓ | ✓ | | | ✓ | 4X | | | |

✓ = At least one model in the fixture series meets the indicated standard. See specification sheet for details. P = The certification or listing is currently pending for this product.