# Standards & Certifications Cross Reference

The Standards & Certifications Cross Reference is designed to help identify fixtures with specific certifications.
The listings that are checked in the Cross Reference represent the highest level available for a particular fixture.
For more information on any fixture, please refer to the applicable specification sheet.

Product design and specifications are subject to change without notice.
The most current version of this chart can be found on our website: www.phoenixlighting.com.

N5610284F
04.08.25

# Standards & Certifications Cross Reference

| | Hazardous Location Services (UL 844) | | | | | | | | | | | | ≥40° C Ambient | ABS | DesignLights® Consortium (DLC) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Class I, Div. 1 | | Class I, Div. 2 | | | | Class II, Div. 1 | | | Class II, Div. 2 | | Class III | | | |
| | Grp C | Grp D | Grp A | Grp B | Grp C | Grp D | Grp E | Grp F | Grp G | Grp F | Grp G | | | | |
| **Linear Lights** | | | | | | | | | | | | | | | |
| Ascend LHB Series | | | | | | | | | | | | | ✓ | | ✓ |
| Conquer Linear™ Series | | | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | | | ✓ | ✓ | | |
| HDL-LED Series | | | ✓ | ✓ | ✓ | ✓ | | | | | | | ✓ | ✓ | |
| LRMC | | | | | | | | | | | | | ✓ | ✓ | |
| LFXB LED Series | ✓ | ✓ | | | | | ✓ | ✓ | ✓ | | | ✓ | ✓ | | |
| ReadiLED™ Series | | | | | | | | | | | | | ✓ | ✓ | |
| **Berth Lights** | | | | | | | | | | | | | | | |
| LEDBM | | | | | | | | | | | | | | | |
| **Navigation Light** | | | | | | | | | | | | | | | |
| Sturdisignal™ Series | | | | | | | | | | | | | ✓ | ✓ | |
| **Area Lights** | | | | | | | | | | | | | | | |
| Cube-Light | | | | | | | | | | | | | ✓ | ✓ | |
| Cube-Light Wall Mount | | | | | | | | | | | | | ✓ | | |
| CVO 2 | | | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | | | ✓ | ✓ | P | ✓ |
| Danger Light™ | | | | | | | | | | | | | ✓ | | |
| RDL | | | | | | | | | | | | | ✓ | ✓ | |
| Wayfinder™ 2 | | | | | | | | | | | | | ✓ | ✓ | ✓ |
| **Floodlights** | | | | | | | | | | | | | | | |
| Command Flood® Series | | | ✓ | ✓ | ✓ | ✓ | | | | | | | ✓ | ✓ | |
| Conquer Flood® Series | | | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | | | | ✓ | | |
| Defend Flood™ 2 Series | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | P | |
| Guard Pro™ Series | | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | P | |
| EcoMod® 3 Series | | | | | | | | | | | | | ✓ | ✓ | ✓ |
| Midline™ Flood 2 | | | | | | | | | | | | | ✓ | ✓ | |
| ModCom® 3 Series | | | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| SLX LED | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | |
| SLXP LED | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | |
| SturdiLED® | | | | | | | | | | | | | ✓ | ✓ | |
| SturdiLED® LVD | | | | | | | | | | | | | ✓ | ✓ | |
| Sturdilite® Grind | | | | | | | | | | | | | ✓ | ✓ | |
| **Work Lights** | | | | | | | | | | | | | | | |
| Sturdilite® Master Series | | | | | | | | | | | | | ✓ | | |
| Sturdilite® Move Series | | | | | | | | | | | | | ✓ | | |
| **Large Area Light** | | | | | | | | | | | | | | | |
| Apex™ Series | | | | | | | | | | | | | ✓ | | |
| Highland® Series | | | | | | | | | | | | | ✓ | | ✓ |
| Soar™ Series | | | | | | | | | | | | | ✓ | | ✓ |
| **Vaporproof Lights** | | | | | | | | | | | | | | | |
| Brass LED VP Series | | | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | | | | ✓ | ✓ | |
| Metallic LED VP Series | | | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | | | | ✓ | ✓ | |
| Metallic LED VP Retrofit | | | | | | | | | | | | | ✓ | ✓ | |
| **Dock Lights** | | | | | | | | | | | | | | | |
| DLA 2 LED *docklite*® | | | | | | | | | | | | | ✓ | | |
| FlexPro *docklite*® | | | | | | | | | | | | | ✓ | | |
| Modular *docklite*® Head | | | | | | | | | | | | | | | |
| Modular *docklite*® Arm | | | | | | | | | | | | | | | |
| DLAW 2 LED *docklite*® | | | | | | | | | | | | | ✓ | | |
| DLX LED *docklite*® | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | |

✓ = At least one model in the fixture series meets the indicated standard. See specification sheet for details.     P = The certifcation or listing is currently pending for this product.

# Standards & Certifications Cross Reference

| | CE | UL 1598A — Marine | | UL 1598 — Ordinary Locations | | UL 924 | CSA or cUL | NEMA Rating | IP Rating | IK Rating | IPA Dark Sky |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Inside Dripproof | Outside Type (Saltwater) | Wet Location | Damp Location | Emergency | | | | | |
| **Linear Lights** | | | | | | | | | | | |
| Ascend LHB Series | | | | | ✓ | | ✓ | | IP22 | IK06 | |
| Conquer Linear™ Series | | | | ✓ | | | ✓ | ✓ | IP67 | | |
| HDL-LED Series | ✓ | | ✓ | ✓ | | | ✓ | | IP67 | | |
| LRMC Series | | ✓ | | | ✓ | ✓ | ✓ | | IP44 | | |
| LFXB LED Series | | | ✓ | ✓ | | ✓ | ✓ | | | | |
| ReadiLED™ Series | ✓ | | ✓ | ✓ | | ✓ | ✓ | | IP65 & IP67 | | |
| **Berth Lights** | | | | | | | | | | | |
| LEDBM | | ✓ | | | ✓ | | ✓ | | | | |
| **Navigation Light** | | | | | | | | | | | |
| Sturdisignal™ Series | | | | | | | | | IP68 | | |
| **Area Lights** | | | | | | | | | | | |
| Cube-Light | ✓ | | ✓ | ✓ | | | ✓ | | IP66 | | |
| Cube-Light Wall Mount | ✓ | | ✓ | ✓ | | | ✓ | | IP66 | | |
| CVO 2 | ✓ | | ✓ | ✓ | | ✓ | ✓ | 4X | IP66 | | ✓ |
| Danger Light™ | ✓ | | ✓ | ✓ | | | ✓ | | | | |
| RDL | | ✓ | | | | | | | | | |
| Wayfinder™ 2 | ✓ | | ✓ | ✓ | | ✓ | ✓ | | IP66 | | |
| **Floodlights** | | | | | | | | | | | |
| Command Flood® Series | ✓ | | ✓ | ✓ | | | ✓ | | IP66 | | |
| Conquer Flood® Series | | | | ✓ | | | ✓ | 6 | IP67 | | |
| Defend Flood™ 2 Series | | | | ✓ | | | ✓ | | IP66 | | |
| Guard Pro™ Series | | | ✓ | ✓ | | | ✓ | | IP66 | | |
| EcoMod® 3 Series | ✓ | | ✓ | ✓ | | | ✓ | | IP66, IP67, IP69K | IK06 & IK10 | |
| Midline™ Flood 2 | ✓ | | ✓ | ✓ | | | | | IP66 | IK08 | |
| ModCom® 3 Series | ✓ | | ✓ | ✓ | | | ✓ | | IP66, IP67, IP69K | IK06 & IK10 | |
| SLX LED | | | ✓ | ✓ | | | ✓ | 4X | | | |
| SLXP LED | | | ✓ | ✓ | | | ✓ | 4X | | | |
| SturdiLED® | ✓ | | ✓ | ✓ | | | ✓ | | IP67 | | |
| SturdiLED® LVD | ✓ | | ✓ | ✓ | | | ✓ | | IP67 | | |
| Sturdilite® Grind | | | ✓ | ✓ | | | ✓ | | IP69K | IK10 | |
| **Work Lights** | | | | | | | | | | | |
| Sturdilite® Master Series | ✓ | | | | | | | | IP68 & IP69K | IK06 & IK10 | |
| Sturdilite® Move Series | ✓ | | | | | | | | IP69K | | |
| **Large Area Light** | | | | | | | | | | | |
| Apex™ Series | ✓ | | | ✓ | | | | | IP66 | IK08 | |
| Highland® Series | | | | ✓ | | | ✓ | | IP66 | | ✓ |
| Soar™ Series | ✓ | | | ✓ | | | ✓ | | IP66 | | |
| **Vaporproof Lights** | | | | | | | | | | | |
| Brass LED VP Series | | | ✓ | ✓ | | | ✓ | | IP66 | | |
| Metallic LED VP Series | | | ✓ | ✓ | | | ✓ | | IP66 | | |
| Metallic LED VP Retrofit | | | ✓ | ✓ | | | | | IP66 | | |
| **Dock Lights** | | | | | | | | | | | |
| DLA 2 LED *docklite*® | | | | ✓ | | | ✓ | | IP66 | IK10 | |
| FlexPro *docklite*® | ✓ | | | | ✓ | | ✓ | | | IK08 | |
| Modular *docklite*® Head | | | | | | | ✓ | | | | |
| Modular *docklite*® Arm | | | | | ✓ | | ✓ | | | | |
| DLAW 2 LED *docklite*® | | | | ✓ | | | ✓ | | | IK10 | |
| DLX LED *docklite*® | | | ✓ | ✓ | | | ✓ | 4X | | | |

✓ = At least one model in the fixture series meets the indicated standard. See specification sheet for details.     P = The certifcation or listing is currently pending for this product.

**PHOENIX®**
DURABILITY X DESIGN™